

**PERFORMANCE****LECO EXHAUST FANS****PAGE P1****DIRECT DRIVE**

MODEL NO.	FAN DIA.	H.P.	FAN SPEED	CFM at S.P. in "W.G."						
				0"	.125"	.25"	.375"	.5"	.75"	1.0"
7AX	7"	9W	1550	200	130	O/L	O/L	O/L	O/L	O/L
7AX-16	7"	16W	1550	200	130	90	30	O/L	O/L	O/L
C109	10"	9W	1450	600	500	50	O/L	O/L	O/L	O/L
C1016	10"	16W	1550	650	550	150	O/L	O/L	O/L	O/L
C129	12"	9W	1140	500	250	O/L	O/L	O/L	O/L	O/L
C1216	12"	16W	1500	750	500	150	O/L	O/L	O/L	O/L
AL1214-	12"	1/4	1725	920	800	700	400	300	100	Stall
A1214-	12"	1/4	1725	1350	1250	1100	700	650	400	150
A1414-	14"	1/4	1725	2150	2000	1800	1600	O/L	O/L	O/L
A1413-	14"	1/3	1725	2150	2000	1800	1600	1200	1000	700
A1614-	16"	1/4	1725	2500	2400	2200	O/L	O/L	O/L	O/L
A1613-	16"	1/3	1725	2500	2400	2200	2000	1600	1300	1100
A1814-	18"	1/4	1725	2800	2700	2500	O/L	O/L	O/L	O/L
A1813-	18"	1/3	1725	2800	2700	2500	2400	2200	O/L	O/L
A2013-	20"	1/3	1725	3500	3400	3300	O/L	O/L	O/L	O/L
AL2012-	20"	1/2	1725	3500	3400	3300	3100	2900	O/L	O/L
AH2012-	20"	1/2	1725	4200	4100	4000	O/L	O/L	O/L	O/L
AM1216-	12"	1/6	1140	900	650	400	200	O/L	O/L	O/L
AM1416-	14"	1/6	1140	1400	1200	800	600	340	O/L	O/L
AM1616-	16"	1/6	1140	1600	1400	1000	800	600	O/L	O/L
AM1816-	18"	1/6	1140	1800	1700	1300	900	700	O/L	O/L
AM2016-	20"	1/6	1140	2300	2100	1800	1300	O/L	O/L	O/L
AM2014-	20"	1/4	1140	2300	2100	1800	1300	1100	600	O/L
AM2413-	24"	1/3	1140	4700	4300	3900	O/L	O/L	O/L	O/L
AM2412-	24"	1/2	1140	5400	5000	4600	O/L	O/L	O/L	O/L
AM2434-	24"	3/4	1140	6200	5700	5200	4600	O/L	O/L	O/L

**NOTE:** - SPECIFY VOLTAGE AND PHASE WHEN ORDERING.  
- FANS ALSO AVAILABLE WITH EXPLOSION PROOF MOTORS.

## PERFORMANCE

## LECO EXHAUST FANS

## PAGE P2

### BELT DRIVEN

MODEL NO.	FAN DIA.	H.P.	FAN SPEED	CFM at S.P. in "W.G."							
				0"	.125"	.25"	.375"	.5"	.75"	1.0"	
BH2414-	24"	1/4	800	4400	3800	O/L	O/L	O/L	O/L	O/L	
BL2414-	24"	1/4	700	3800	3200	2400	1600	1000	O/L	O/L	
BH2413-	24"	1/3	900	4800	4300	O/L	O/L	O/L	O/L	O/L	
BM2413-	24"	1/3	800	4400	3800	2800	2000	1400	O/L	O/L	
BL2413-	24"	1/3	700	3800	3200	2400	1600	1000	200	O/L	
BH2412-	24"	1/2	1000	5300	4800	4300	O/L	O/L	O/L	O/L	
BM2412-	24"	1/2	900	4800	4300	3400	2400	1800	O/L	O/L	
BL2412-	24"	1/2	800	4400	3800	2800	2000	1400	600	O/L	
BH2434-	24"	3/4	1170	6300	6000	5300	O/L	O/L	O/L	O/L	
BM2434-	24"	3/4	1100	5800	5500	4700	3800	2800	O/L	O/L	
BL2434-	24"	3/4	1000	5300	4800	4300	3100	2600	1800	1000	
BH2410-	24"	1	1280	7000	6500	6000	O/L	O/L	O/L	O/L	
BM2410-	24"	1	1200	6500	6000	5500	5000	3800	O/L	O/L	
BL2410-	24"	1	1140	6100	5700	5200	4600	3500	2700	1800	
BH3013-	30"	1/3	630	6700	5400	4500	O/L	O/L	O/L	O/L	
BL3013-	30"	1/3	480	5000	4500	3000	2000	1200	200	O/L	
BH3012-	30"	1/2	700	7400	6600	4300	O/L	O/L	O/L	O/L	
BM3012-	30"	1/2	630	6700	5400	4500	3200	2500	O/L	O/L	
BL3012-	30"	1/2	530	5600	4800	3300	2400	1600	500	O/L	
BH3034-	30"	3/4	800	8800	8300	6700	O/L	O/L	O/L	O/L	
BM3034-	30"	3/4	730	7700	7000	5800	4000	3000	O/L	O/L	
BL3034-	30"	3/4	610	6500	5800	4500	3000	2300	1000	O/L	
BH3010-	30"	1	900	9500	9000	7800	O/L	O/L	O/L	O/L	
BM3010-	30"	1	850	9000	8300	7600	6500	4500	O/L	O/L	
BL3010-	30"	1	720	7600	6800	5700	3700	3000	1800	800	
BH3015-	30"	1.5	1050	11000	10500	9500	O/L	O/L	O/L	O/L	
BM3015-	30"	1.5	1000	10500	10000	9500	8700	7800	O/L	O/L	
BL3015-	30"	1.5	860	9000	8500	7500	6500	4500	3300	2300	

**NOTE:** THE "H","M","L" LETTERS IN THE "B" MODEL #'s REFER TO FAN SPEED AND ARE OMITTED IN THE PRICE LIST SINCE THE PRICES ARE THE SAME.

**NOTE:** - SPECIFY VOLTAGE AND PHASE WHEN ORDERING.  
- FANS ALSO AVAILABLE WITH EXPLOSION PROOF MOTORS.

PERFORMANCE

LECO EXHAUST FANS  
BELT DRIVEN

PAGE P3

MODEL NO.	FAN DIA.	H.P.	FAN SPEED	FAN CFM at S.P. in "W.G."						
				0"	.125"	.25"	.375"	.5"	.75"	1.0"
BH3612-	36"	1/2	480	9600	8000	4500	O/L	O/L	O/L	O/L
BL3612-	36"	1/2	300	6000	4500	2500	1000	O/L	O/L	O/L
BH3634-	36"	3/4	600	12000	10000	6000	O/L	O/L	O/L	O/L
BL3634-	36"	3/4	500	10000	8200	5300	3600	2200	O/L	O/L
BH3610-	36"	1	640	12800	11500	8500	O/L	O/L	O/L	O/L
BM3610-	36"	1	580	11600	10200	7500	5200	4000	O/L	O/L
BL3610-	36"	1	500	10000	8200	5300	3600	2200	200	O/L
BH3615-	36"	1.5	750	15000	13500	11500	O/L	O/L	O/L	O/L
BM3615-	36"	1.5	700	14000	12700	11300	9200	7000	O/L	O/L
BL3615-	36"	1.5	580	11600	10200	7500	5200	4000	2000	500
BH3620-	36"	2	800	16000	15000	13700	O/L	O/L	O/L	O/L
BM3620-	36"	2	750	15000	13500	12500	10500	9000	O/L	O/L
BL3620-	36"	2	700	14000	12700	11300	9200	7000	4500	2500
BH4212-	42"	1/2	380	12000	9000	4500	O/L	O/L	O/L	O/L
BL4212-	42"	1/2	320	9800	7800	4000	2000	O/L	O/L	O/L
BH4234-	42"	3/4	450	13700	10500	6000	O/L	O/L	O/L	O/L
BL4234-	42"	3/4	380	12000	9000	4500	3000	1000	O/L	O/L
BH4210-	42"	1	500	15000	13000	9000	O/L	O/L	O/L	O/L
BL4210-	42"	1	400	12000	9500	5000	3300	1300	O/L	O/L
BH4215-	42"	1.5	570	17500	16000	12000	O/L	O/L	O/L	O/L
BL4215-	42"	1.5	480	14600	12500	9500	6000	4000	1000	O/L
BH4220-	42"	2	630	19500	18000	15000	O/L	O/L	O/L	O/L
BL4220-	42"	2	500	15000	13000	9000	6700	5000	2000	O/L
BH4230-	42"	3	700	21500	20000	18500	O/L	O/L	O/L	O/L
BL4230-	42"	3	680	21000	19500	18000	15500	13000	8500	6500

**NOTE:** THE "H","M","L" LETTERS IN THE "B" MODEL #'s REFER TO FAN SPEED AND ARE OMITTED IN THE PRICE LIST SINCE THE PRICES ARE THE SAME.

**NOTE:** - SPECIFY VOLTAGE AND PHASE WHEN ORDERING.  
- FANS ALSO AVAILABLE WITH EXPLOSION PROOF MOTORS.

## PERFORMANCE

## LECO EXHAUST FANS

## PAGE P4

### DIRECT DRIVE HEAVY DUTY

MODEL NO.	FAN DIA.	H.P.	FAN SPEED	CFM at STATIC PRESSURE to "W.G."						
				0"	.125"	.25"	.375"	.5"	.75"	1.0"
D2430-	24"	3	1725	9200	9000	8700	8200	7400	O/L	O/L
D3010-	30"	1	850	9000	8300	7500	O/L	O/L	O/L	O/L
D3015-	30"	1.5	850	9000	8300	7500	4500	2000	O/L	O/L
D3020-	30"	2	1140	12000	11500	O/L	O/L	O/L	O/L	O/L
D3030-	30"	3	1140	12000	11500	11000	10000	8000	O/L	O/L
D3620-	36"	2	850	17000	16000	O/L	O/L	O/L	O/L	O/L
D3630-	36"	3	850	17000	16000	15000	12000	8000	O/L	O/L
D4250-	42"	5	850	26000	25000	24000	O/L	O/L	O/L	O/L

### BELT DRIVEN HEAVY DUTY

MODEL NO.	FAN DIA.	H.P.	FAN SPEED	CFM at STATIC PRESSURE in "W.G."						
				0"	.125"	.25"	.375"	.5"	.75"	1.0"
HH2410-	24"	1	1280	7000	6500	6000	O/L	O/L	O/L	O/L
HM2410-	24"	1	1200	6500	6000	5500	5000	3800	O/L	O/L
HL2410-	24"	1	1140	6100	5700	5200	4600	3500	2700	1800
HH2415-	24"	1.5	1500	8000	7800	7500	O/L	O/L	O/L	O/L
HM2415-	24"	1.5	1450	7700	7500	7200	6800	6300	O/L	O/L
HL2415-	24"	1.5	1400	7500	7200	6800	6400	5800	4400	3600
HH2420-	24"	2	1650	8800	8600	8200	O/L	O/L	O/L	O/L
HM2420-	24"	2	1600	8500	8300	8000	7700	7400	O/L	O/L
HL2420-	24"	2	1550	8200	8000	7700	7000	6600	5500	4200
HH2430-	24"	3	1725	9200	9000	8700	8200	7400	O/L	O/L
HH3010-	30"	1	900	9500	9000	7800	O/L	O/L	O/L	O/L
HM3010-	30"	1	850	9000	8300	7600	6500	4500	O/L	O/L
HL3010-	30"	1	720	7600	6800	5700	3700	3000	1800	800
HH3015-	30"	1.5	1050	11000	10500	9500	O/L	O/L	O/L	O/L
HM3015-	30"	1.5	1000	10500	10000	9500	8700	7800	O/L	O/L
HL3015-	30"	1.5	860	9000	8500	7500	6500	4500	3300	2300
HH3020-	30"	2	1140	12000	11500	10500	O/L	O/L	O/L	O/L
HM3020-	30"	2	1070	11200	10800	10000	9500	9000	O/L	O/L
HL3020-	30"	2	1030	10800	10500	9800	9000	8000	5000	4000
HH3030-	30"	3	1250	13000	12700	12000	O/L	O/L	O/L	O/L
HL3030-	30"	3	1200	12600	12200	11700	11000	10500	8500	6500
HH3050-	30"	5	1450	15300	14800	14000	13500	13000	12000	10000

SEE REFERENCE NOTES ON THE BOTTOM OF PAGE P5

BELT DRIVEN HEAVY DUTY FANS CONTINUE ON PAGE P5

MODEL NO.	FAN DIA.	H.P.	FAN SPEED	CFM at STATIC PRESSURE in "W.G."						
				0"	.125"	.25"	.375"	.5"	.75"	1.0"
HH3610-	36"	1	640	12800	11500	8500	O/L	O/L	O/L	O/L
HM3610-	36"	1	580	11600	10200	7500	5200	4000	O/L	O/L
HL3610-	36"	1	500	10000	8200	5300	3600	2200	200	O/L
HH3615-	36"	1.5	750	15000	13500	11500	O/L	O/L	O/L	O/L
HM3615-	36"	1.5	700	14000	12700	11300	9200	7000	O/L	O/L
HL3615-	36"	1.5	580	11600	10200	7500	5200	4000	2000	500
HH3620-	36"	2	800	16000	15000	13700	O/L	O/L	O/L	O/L
HM3620-	36"	2	750	15000	13500	12500	10500	9000	O/L	O/L
HL3620-	36"	2	700	14000	12700	11300	9200	7000	4500	2500
HH3630-	36"	3	900	18000	17000	16000	O/L	O/L	O/L	O/L
HM3630-	36"	3	870	17400	16500	15500	14000	12500	O/L	O/L
HL3630-	36"	3	840	16800	15700	14500	13000	11500	8000	6000
HH3650-	36"	5	1050	21000	20500	19500	18500	17500	14500	11500
HH4210-	42"	1	500	15000	13000	9000	O/L	O/L	O/L	O/L
HL4210-	42"	1	400	12000	9500	5000	3300	1300	O/L	O/L
HH4215-	42"	1.5	570	17500	16000	12000	O/L	O/L	O/L	O/L
HL4215-	42"	1.5	480	14600	12500	9500	6000	4000	1000	O/L
HH4220-	42"	2	630	19500	18000	15000	O/L	O/L	O/L	O/L
HL4220-	42"	2	500	15000	13000	9000	6700	5000	2000	O/L
HH4230-	42"	3	700	21500	20000	18500	O/L	O/L	O/L	O/L
HL4230-	42"	3	680	21000	19500	18000	15500	13000	8500	6500
HH4250-	42"	5	850	26000	25000	24000	O/L	O/L	O/L	O/L
HL4250-	42"	5	800	24500	23500	22500	21000	19500	16000	11000
HH4830-	48"	3	500	27000	26000	24000	20500	15500	7500	O/L
HH4850-	48"	5	600	32000	31000	30000	26000	26500	O/L	O/L
HH4875-	48"	7.5	700	38000	37500	36000	34500	33000	O/L	O/L
HH5475-	54"	7.5	515	38700	36200	28700	22300	18650	O/L	O/L
HH6050-	60"	5	450	45200	40000	31200	25200	O/L	O/L	O/L
HH6075-	60"	7.5	450	45200	40000	31200	25200	20100	O/L	O/L

**PERFORMANCE****LECO ROOF EXHAUSTERS**  
**(PENTHOUSE TYPE)**  
**DIRECT DRIVE****PAGE P6**

MODEL NO.	FAN DIA.	FAN H.P.	SPEED	CFM at STATIC PRESSURE in "W.G."					
				0"	.125"	.25"	.375"	.5"	.75"
PC1016	10"	16W	1550	550	150	O/L	O/L	O/L	O/L
PC1216	12"	16W	1500	500	150	O/L	O/L	O/L	O/L
PAL1214-	12"	1/4	1725	800	700	400	300	100	Stall
PA1214-	12"	1/4	1725	1250	1100	700	650	400	150
PA1414-	14"	1/4	1725	2000	1800	1600	O/L	O/L	O/L
PA1413-	14"	1/3	1725	2000	1800	1600	1200	1000	700
PA1614-	16"	1/4	1725	2400	2200	O/L	O/L	O/L	O/L
PA1613-	16"	1/3	1725	2400	2200	2000	1600	1300	1100
PA1814-	18"	1/4	1725	2700	2500	O/L	O/L	O/L	O/L
PA1813-	18"	1/3	1725	2700	2500	2400	2200	O/L	O/L
PA2013-	20"	1/3	1725	3400	3300	O/L	O/L	O/L	O/L
PAL2012-	20"	1/2	1725	3400	3300	3100	2900	O/L	O/L
PAH2012-	20"	1/2	1725	4100	4000	O/L	O/L	O/L	O/L
PAM1216-	12"	1/6	1140	650	400	200	O/L	O/L	O/L
PAM1416-	14"	1/6	1140	1200	800	600	340	O/L	O/L
PAM1616-	16"	1/6	1140	1400	1000	800	600	O/L	O/L
PAM1816-	18"	1/6	1140	1700	1300	900	700	O/L	O/L
PAM2016-	20"	1/6	1140	2100	1800	1300	O/L	O/L	O/L
PAM2014-	20"	1/4	1140	2100	1800	1300	1100	600	O/L
PAM2413-	24"	1/3	1140	4300	3900	O/L	O/L	O/L	O/L
PAM2412-	24"	1/2	1140	5000	4600	O/L	O/L	O/L	O/L
PAM2434-	24"	3/4	1140	5700	5200	4600	O/L	O/L	O/L

**NOTE:** - SPECIFY VOLTAGE AND PHASE WHEN ORDERING.  
- FANS ALSO AVAILABLE WITH EXPLOSION PROOF MOTORS.

**PERFORMANCE****LECO ROOF EXHAUSTERS****PAGE P7****(PENTHOUSE TYPE)****BELT DRIVEN**

MODEL NO.	FAN DIA.	H.P.	FAN SPEED	CFM at S.P. in "W.G."					
				0"	.125"	.25"	.375"	.5"	.75"
PBH2414-	24"	1/4	800	3800	O/L	O/L	O/L	O/L	O/L
PBL2414-	24"	1/4	700	3200	2400	1600	1000	O/L	O/L
PBH2413-	24"	1/3	900	4300	O/L	O/L	O/L	O/L	O/L
PBM2413-	24"	1/3	800	3800	2800	2000	1400	O/L	O/L
PBL2413-	24"	1/3	700	3200	2400	1600	1000	200	O/L
PBH2412-	24"	1/2	1000	4800	4300	O/L	O/L	O/L	O/L
PBM2412-	24"	1/2	900	4300	3400	2400	1800	O/L	O/L
PBL2412-	24"	1/2	800	3800	2800	2000	1400	600	O/L
PBH2434-	24"	3/4	1170	6000	5300	O/L	O/L	O/L	O/L
PBM2434-	24"	3/4	1100	5500	4700	3800	2800	O/L	O/L
PBL2434-	24"	3/4	1000	4800	4300	3100	2600	1800	1000
PBH2410-	24"	1	1280	6500	6000	O/L	O/L	O/L	O/L
PBM2410-	24"	1	1200	6000	5500	5000	3800	O/L	O/L
PBL2410-	24"	1	1140	5700	5200	4600	3500	2700	1800
PBH3013-	30"	1/3	630	5400	4500	O/L	O/L	O/L	O/L
PBL3013-	30"	1/3	480	4500	3000	2000	1200	200	O/L
PBH3012-	30"	1/2	700	6600	4300	O/L	O/L	O/L	O/L
PBM3012-	30"	1/2	630	5400	4500	3200	2500	O/L	O/L
PBL3012-	30"	1/2	530	4800	3300	2400	1600	500	O/L
PBH3034-	30"	3/4	800	8300	6700	O/L	O/L	O/L	O/L
PBM3034-	30"	3/4	730	7000	5800	4000	3000	O/L	O/L
PBL3034-	30"	3/4	610	5800	4500	3000	2300	1000	O/L
PBH3010-	30"	1	900	9000	7800	O/L	O/L	O/L	O/L
PBM3010-	30"	1	850	8300	7600	6500	4500	O/L	O/L
PBL3010-	30"	1	720	6800	5700	3700	3000	1800	800
PBH3015-	30"	1.5	1050	10500	9500	O/L	O/L	O/L	O/L
PBM3015-	30"	1.5	1000	10000	9500	8700	7800	O/L	O/L
PBL3015-	30"	1.5	860	8500	7500	6500	4500	3300	2300

**NOTE:** THE "H","M","L" LETTERS IN THE "B" MODEL #'s REFER TO FAN SPEED AND ARE OMITTED IN THE PRICE LIST SINCE THE PRICES ARE THE SAME.

**NOTE:** - SPECIFY VOLTAGE AND PHASE WHEN ORDERING.  
- FANS ALSO AVAILABLE WITH EXPLOSION PROOF MOTORS.

**PERFORMANCE****LECO ROOF EXHAUSTERS****PAGE P8****(PENTHOUSE TYPE)****BELT DRIVEN**

MODEL NO.	FAN DIA.	H.P.	FAN SPEED	CFM at S.P. in "W.G."					
				0.0"	.125"	.25"	.375"	.5"	.75"
PBH3612-	36"	1/2	480	8000	4500	O/L	O/L	O/L	O/L
PBL3612-	36"	1/2	300	4500	2500	1000	O/L	O/L	O/L
PBH3634-	36"	3/4	600	10000	6000	O/L	O/L	O/L	O/L
PBL3634-	36"	3/4	500	8200	5300	3600	2200	O/L	O/L
PBH3610-	36"	1	640	11500	8500	O/L	O/L	O/L	O/L
PBM3610-	36"	1	580	10200	7500	5200	4000	O/L	O/L
PBL3610-	36"	1	500	8200	5300	3600	2200	200	O/L
PBH3615-	36"	1.5	750	13500	11500	O/L	O/L	O/L	O/L
PBM3615-	36"	1.5	700	12700	11300	9200	7000	O/L	O/L
PBL3615-	36"	1.5	580	10200	7500	5200	4000	2000	500
PBH3620-	36"	2	800	15000	13700	O/L	O/L	O/L	O/L
PBM3620-	36"	2	750	13500	12500	10500	9000	O/L	O/L
PBL3620-	36"	2	700	12700	11300	9200	7000	4500	2500
PBH4212-	42"	1/2	380	9000	4500	O/L	O/L	O/L	O/L
PBL4212-	42"	1/2	320	7800	4000	2000	O/L	O/L	O/L
PBH4234-	42"	3/4	450	10500	6000	O/L	O/L	O/L	O/L
PBL4234-	42"	3/4	380	9000	4500	3000	1000	O/L	O/L
PBH4210-	42"	1	500	13000	9000	O/L	O/L	O/L	O/L
PBL4210-	42"	1	400	9500	5000	3300	1300	O/L	O/L
PBH4215-	42"	1.5	570	16000	12000	O/L	O/L	O/L	O/L
PBL4215-	42"	1.5	480	12500	9500	6000	4000	1000	O/L
PBH4220-	42"	2	630	18000	15000	O/L	O/L	O/L	O/L
PBL4220-	42"	2	500	13000	9000	6700	5000	2000	O/L
PBH4230-	42"	3	700	20000	18500	O/L	O/L	O/L	O/L
PBL4230-	42"	3	680	19500	18000	15500	13000	8500	6500

**NOTE:** THE "H","M","L" LETTERS IN THE "B" MODEL #'s REFER TO FAN SPEED AND ARE OMITTED IN THE PRICE LIST SINCE THE PRICES ARE THE SAME.

**NOTE:** - SPECIFY VOLTAGE AND PHASE WHEN ORDERING.  
- FANS ALSO AVAILABLE WITH EXPLOSION PROOF MOTORS.



## PERFORMANCE

## LECO ROOF EXHAUSTERS PENTHOUSE TYPE) DIRECT DRIVE HEAVY DUTY

## PAGE P9

MODEL NO.	FAN DIA.	H.P.	FAN SPEED	CFM at S.P. in "W.G."					
				0"	.125"	.25"	.375"	.5"	.75"
PD2430-	24"	3	1725	9000	8700	8200	7400	O/L	O/L
PD3010-	30"	1	850	8300	7500	O/L	O/L	O/L	O/L
PD3015-	30"	1.5	850	8300	7500	4500	2000	O/L	O/L
PD3020-	30"	2	1140	11500	O/L	O/L	O/L	O/L	O/L
PD3030-	30"	3	1140	11500	11000	10000	8000	O/L	O/L
PD3620-	36"	2	850	16000	O/L	O/L	O/L	O/L	O/L
PD3630-	36"	3	850	16000	15000	12000	8000	O/L	O/L
PD4250-	42"	5	850	25000	24000	O/L	O/L	O/L	O/L

## BELT DRIVEN HEAVY DUTY

MODEL NO.	FAN DIA.	H.P.	FAN SPEED	CFM at S.P. in "W.G."					
				0"	.125"	.25"	.375"	.5"	.75"
PHH2410-	24"	1	1280	6500	6000	O/L	O/L	O/L	O/L
PHM2410-	24"	1	1200	6000	5500	5000	3800	O/L	O/L
PHL2410-	24"	1	1140	5700	5200	4600	3500	2700	1800
PHH2415-	24"	1.5	1500	7800	7500	O/L	O/L	O/L	O/L
PHM2415-	24"	1.5	1450	7500	7200	6800	6300	O/L	O/L
PHL2415-	24"	1.5	1400	7200	6800	6400	5800	4400	3600
PHH2420-	24"	2	1650	8600	8200	O/L	O/L	O/L	O/L
PHM2420-	24"	2	1600	8300	8000	7700	7400	O/L	O/L
PHL2420-	24"	2	1550	8000	7700	7000	6600	5500	4200
PHH2430-	24"	3	1725	9000	8700	8200	7400	O/L	O/L
PHH3010-	30"	1	900	9000	7800	O/L	O/L	O/L	O/L
PHM3010-	30"	1	850	8300	7600	6500	4500	O/L	O/L
PHL3010-	30"	1	720	6800	5700	3700	3000	1800	800
PHH3015-	30"	1.5	1050	10500	9500	O/L	O/L	O/L	O/L
PHM3015-	30"	1.5	1000	10000	9500	8700	7800	O/L	O/L
PHL3015-	30"	1.5	860	8500	7500	6500	4500	3300	2300
PHH3020-	30"	2	1140	11500	10500	O/L	O/L	O/L	O/L
PHM3020-	30"	2	1070	10800	10000	9500	9000	O/L	O/L
PHL3020-	30"	2	1030	10500	9800	9000	8000	5000	4000
PHH3030-	30"	3	1250	12700	12000	O/L	O/L	O/L	O/L
PHL3030-	30"	3	1200	12200	11700	11000	10500	8500	6500
PHH3050-	30"	5	1450	14800	14000	13500	13000	12000	10000

## PERFORMANCE

## LECO ROOF EXHAUSTERS PENTHOUSE TYPE) DIRECT DRIVE HEAVY DUTY

## PAGE P10

MODEL NO.	FAN DIA.	H.P.	FAN SPEED	CFM at S.P. in "W.G."					
				0"	.125"	.25"	.375"	.5"	.75"
PHH3610-	36"	1	640	11500	8500	O/L	O/L	O/L	O/L
PHM3610-	36"	1	580	10200	7500	5200	4000	O/L	O/L
PHL3610-	36"	1	500	8200	5300	3600	2200	200	O/L
PHH3615-	36"	1.5	750	13500	11500	O/L	O/L	O/L	O/L
PHM3615-	36"	1.5	700	12700	11300	9200	7000	O/L	O/L
PHL3615-	36"	1.5	580	10200	7500	5200	4000	2000	500
PHH3620-	36"	2	800	15000	13700	O/L	O/L	O/L	O/L
PHM3620-	36"	2	750	13500	12500	10500	9000	O/L	O/L
PHL3620-	36"	2	700	12700	11300	9200	7000	4500	2500
PHH3630-	36"	3	900	17000	16000	O/L	O/L	O/L	O/L
PHM3630-	36"	3	870	16500	15500	14000	12500	O/L	O/L
PHL3630-	36"	3	840	15700	14500	13000	11500	8000	6000
PHH3650-	36"	5	1050	20500	19500	18500	17500	14500	11500
PHH4210-	42"	1	500	13000	9000	O/L	O/L	O/L	O/L
PHL4210-	42"	1	400	9500	5000	3300	1300	O/L	O/L
PHH4215-	42"	1.5	570	16000	12000	O/L	O/L	O/L	O/L
PHL4215-	42"	1.5	480	12500	9500	6000	4000	1000	O/L
PHH4220-	42"	2	630	18000	15000	O/L	O/L	O/L	O/L
PHL4220-	42"	2	500	13000	9000	6700	5000	2000	O/L
PHH4230-	42"	3	700	20000	18500	O/L	O/L	O/L	O/L
PHL4230-	42"	3	680	19500	18000	15500	13000	8500	6500
PHH4250-	42"	5	850	25000	24000	O/L	O/L	O/L	O/L
PHL4250-	42"	5	800	23500	22500	21000	19500	16000	11000
PHH4830-	48"	3	500	27000	24000	20500	15500	7500	O/L
PHH4850-	48"	5	600	32000	30000	26000	26500	O/L	O/L
PHH4875-	48"	7.5	700	37500	36000	34500	33000	O/L	O/L
PHH5475-	54"	7.5	515	36200	28700	22300	18650	O/L	O/L
PHH6050-	60"	5	450	40000	31200	25200	O/L	O/L	O/L
PHH6075-	60"	7.5	450	40000	31200	25200	20100	O/L	O/L

**NOTE:** THE "H","M","L" LETTERS IN THE "B" MODEL #'s REFER TO FAN SPEED AND ARE OMITTED IN THE PRICE LIST SINCE THE PRICES ARE THE SAME.